## CLAIMS

A radiation curable powder paint binder composition 1⁄. containing a radiation curable compound being a mono or multi valent carboxylic ester of a  $\beta$ ,  $\gamma$ ,  $\delta$ , 5 or  $\varepsilon$ -hydroxyalkylamide group containing compound, in which the carboxylic ester is derived from an  $\alpha$ ,  $\beta$ -ethylenically unsaturated carboxylic acid.

A composition according to Claim 1, characterized in that the compound is a compound according to formula (I):

15

į: 🚉

(I)

20

where:

25

hydrogen, or a monovalent op polyvalent A = organic group which is derived from a saturated or  $\searrow$ n unsaturated ( $C_1$ - $C_{60}$ ) alkyl group, derived from an (C<sub>6</sub>-C<sub>10</sub>) aryl group or a polymer P.,

30

hydrogen, an  $(C_1-C_0)$  alkyl group or

(II)

35

R<sup>2</sup>, R<sup>3</sup>, R<sup>4</sup> are, identical or different, hydrogen a lineair) branched or cyclic (C1-C8) alkyl chalin, hydrogen,  $(C_1-C_5)$  alkyl,  $-CH_2OH$  or  $CH_2COOX$ ,  $R^5$ 5 hydrogen,  $(C_1-C_8)$  alkyl,  $(C_6-C_{10})$  aryl or  $R^6, R^7$ COOX, hydrogen or  $(C_1-C_8)$  alkyl, Х 1-1000 and n 10 Claim I, Where in Composition according to any one of Claims 1-2, З. characterized in that Y is hydrogen or methyl and  $R^1$ ,  $R^2$ ,  $R^3$  and  $R^4$  are hydrogen or methyl. Composition according to any one of Claims, 1-3 4. containing a polymer having an amount of 15 polymerizable unsaturation ranging from 145 to 3000 grams per mole of unsaturated group (WPU) and a compound being a mono or multi valent carboxylic  $\sqrt{\mathcal{N}}$ ester of  $\lambda$ a  $\beta$ ,  $\gamma$ ,  $\delta$  or  $\epsilon$ -hydroxyalkylamide group containing compound, in which the carboxylic ester 20 is derived from an  $\alpha,\beta$ -ethylenically unsaturated carboxylic actid. Composition according to any one of Claims 1-3, 5. containing a compound being a mono or multi valent carboxylic ester  $\delta f$  a  $\beta$ ,  $\pi$ ,  $\delta$  or  $\epsilon$ -hydroxyalkylamide 25 group containing compound, in which the carboxylic ester is derived from an  $\alpha, \beta$ -ethylenically unsaturated carboxylic acid, and a crosslinker. A powder paint composition comprising a binder composition according to any one of Claims 1-5. 30 A coating obtained by radiatilphan curing of a 7. composition according to any one of Claims 1-6.

13

[]

add Add Adds